



Practitioner's Docket No.: 1235\_005

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re the application of: Ramon M. Velez, Jr., et al.

December 13, 2005

Serial No.: 10/801,870

Art Unit: 1744

Filed: March 16, 2004


Examiner: Chin, Randall E.

Confirmation No.: 4466

For: ROTARY PROBE FOR CLEANING AN INTERNAL CAVITY

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 addressed to **Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450** on December 13, 2005, under "EXPRESS MAIL" mailing label number EV670910095US.

  
Christine M. Holmes

**AMENDMENT AND RESPONSE**

Sir:

In response to the Office Action mailed from the United States Patent and Trademark Office on September 16, 2005, please amend the above-identified application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Amendments to the Drawings** begin on page 6 of this paper and include replacement sheets.

**Remarks/Arguments** begin on page 7 of this paper.

An **Appendix** including amended drawing figures is attached following page 9 of this paper.